

Ultra Tech Cement Limited - Ginigera Cement Works Ginigera – Koppal

**Combined Consent Order (Air & Water) No. KSPCB/ 205/ HPI//2010-11/434
Dated 22.09.2011**

Schedule Terms and Conditions:

Status as on: 01.08.2011

A. <u>Treatment and Disposal of Effluents under the Water Act :</u>		
1	The daily quantity of domestic effluent discharge shall be not exceed 2.5 KLD	As domestic effluent discharged is less than 2.5 KLD shall be treated in septic tank with soak pit. No overflow from the soak pit is allowed.
2	The applicant shall discharge the effluent only to the place mentioned in the consent order	Effluent will be discharged in septic tank with soak pit
3	The applicant shall dispose the domestic effluents to the septic tank & soak pit	Effluent will be discharged in septic tank with soak pit
4	The applicant shall provide septic tank and soak pit as per IS standard 2470 part I & II	Septic tank is provided as per IS standard 2470 part I & II
5	There shall not be any generation of trade effluent due to process and cooling water shall be completely recycled	There is no generation trade effluent in the process and cooling water is completely recycled and used
B. <u>Discharge of Emission under the Air Act:</u>		
1	The discharge of emission from the premises of the applicant shall be pass through the stack/chimney/outlet mentioned in this consent order where from the Board shall be free to collect the sample at any time in accordance with the Act or rules made there under.	The discharge of emission will be done through We have provided the stack/chimney/outlet mentioned in this consent order
2	The applicant shall provided control equipment as approved by the board in CFE dated 31.12.2007 for control of emissions. The rate of emissions discharged and the tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in annexure. The applicant shall monitor the emission levels as per the frequency schedule indicated in the Annexure -I	Enclosed as per annexure
3	The applicant as per the Technical Presentation held on 27.11.2008 shall provide individual chimneys to all packing plants as per the CFE dated 31.12.2007 and shall ensure that the minimum height shall be 3 meter above the silo level.	We increased the height of the stack chimney & all packing plants chimney.
4	The industry shall develop extensive greenbelt around the plant.	Till now 6.47 hectare of land selected and about 9500 plants were planted to develop the green belt. Another in 1.64 hectare around 3000 more plants will be planted during the financial year 2011-12.
C. <u>Solid Waste Management:</u>		
a	The applicant shall segregate solid waste from Hazardous Waste /Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to Environment	As we are not having any hazardous municipal waste
D. <u>Hazardous Waste Management:</u>		
a	The applicant shall follow the guidelines in management and handling of Hazardous waste generated	We are following the guidelines as per the management of hazardous waste (Authorization for Handling Hazardous waste Form -2 (see Rules 5(4)(KSPCB/HWM/309 dated 21.12.2009)
E. <u>Noise Pollution Control:</u>		
a	The applicant shall take steps to control noise levels so as to maintain ambient air quality standard in respect of noise as laid down under the Air Act 1981.	We are following the maintain ambient air quality standard in respect of noise as laid down under the Air Act 1981. Enclosed annexure.

Ultra Tech Cement Limited - Ginigera Cement Works Ginigera – Koppal

F	Monitoring and reporting:	
a	The applicant shall set-up environmental Cell comprising of qualified and competent personal for complying with the conditions specified.	We have environment cell with well qualified personals to complying with the conditions specified.
G	General Conditions:	
1	The applicant shall provide water meters for every source of water and shall submit the cess returns regularly as required under Water Cess Act before 5 th of every month in the prescribed form	We have provided water meters to every source of water and also we submitting the report to KSPCB – Koppal every month.
2	The applicant shall maintain log books for verification of inspecting officers	We are maintaining register for verification of inspecting officers
3	The applicant shall not change or alter quality or quantity or the rate of discharge or temperature or the route of discharge without the previous consent of the board.	We are following the guidelines
4	The applicant shall promptly comply with all orders and instructions issued from time to time by Board or any other officers of the Board duly authorized in this behalf.	We are following the instructions/guidelines
5	The applicant shall display the consent granted in prominent place for perusal of inspecting officers of the Board.	We are displayed in the office premises
6	The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments utilized by the applicant to maintain compliance with the terms and conditions of this consent.	We have provided separate power supply
7	The applicant his heirs, legal representatives or assigns shall have no claims what so ever to the continuations or renewal of this consent after expiry of the period of consent.	Followed
8	The applicant shall forth with keep the board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emissions are being discharged into stream or well or air as a results of such discharged water or air is being polluted	We will inform any such incident occurs
9	The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.	Agreed
10	The applicant shall make an application for consent at least 120 days before expiry of this consent	Followed
11	The applicant shall strictly comply with EC & CFE conditions	Followed
12	Industry shall comply with all the consent conditions and furnish report within 30 days to the Regional Office.	Followed
13	Industry shall comply with proceedings of public hearing held 14.07.11 And shall submit an action plan within 15 days.	Submitted the report