



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), West Bengal)

To,

The Senior Vice President & Corpor
M/s. UltraTech Cement Ltd.

Ahura Centre, 1st Floor, 'A' Wing, Mahakali Caves Road, Andheri (E),
Mumbai- 400 093 Ahura Centre, 1st Floor, 'A' Wing, Mahakali Caves
Road, Andheri (E), Mumbai- 400 093 -400093

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/WB/IND/58900/2020 dated 26 Jul 2021. The particulars of the environmental
clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC22B009WB123151 |
| 2. File No. | EN/T-II-1/066/2020 |
| 3. Project Type | Expansion |
| 4. Category | B1 |
| 5. Project/Activity including
Schedule No. | 3(b) Cement plants |
| 6. Name of Project | Expansion of Cement Production
Capacity of Existing Stand-alone Clinker
Grinding Unit (2.0 to 5.0 MTPA) at Sonar
Bangla Cement Works, Village: Dhalo,
P.O: Gankar, Block: Raghunathganj-I,
District: Murshidabad (West Bengal) by
M/s. UltraTech Cement Limited (Unit:
Sonar Bangla Cement Works). |
| 7. Name of Company/Organization | M/s. UltraTech Cement Ltd. |
| 8. Location of Project | West Bengal |
| 9. TOR Date | 23 Dec 2020 |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

(e-signed)
Kaliyamurthi Balamurugan
Member Secretary
SEIAA - (West Bengal)

Date: 03/01/2022

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

*(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)*



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Department of Environment
Pranisampad Bhaban, 5th floor, LB-2, Sector-III,
Salt Lake, Kolkata-700 106.

Telefax No. 033 2335 5246
Website : www.environmentwb.gov.in

To
M/s. Ultratech Cement Limited,
(Unit: Sonar Bangla Cement Works),
Village - Dhalo, P.O. – Gankar, Block – Raghunathganj-I,
District - Murshidabad.

SUB. : Environmental Clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).
[Proposal No. :- SIA/WB/IND/58900/2020]

Sir,

This has a reference to the online application of M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) made vide proposal no. SIA/WB/IND/58900/2020 seeking Environmental Clearance (EC) for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

The proposal has been examined and processed in accordance with the EIA Notification, 2006. The proposal is for expansion of cement production capacity of existing standalone clinker grinding unit from 2.0 MTPA to 5.0 MTPA.

M/s. Sonar Bangla Cement (A Division of Century Textiles & Industries Ltd.) had obtained Environmental Clearance from SEIAA, vide letter no. EN/128-I/T-II-1/054/2007 dated 19.06.2008 for stand-alone Clinker Grinding Unit for cement production capacity of 1.5 MTPA and vide letter no. 3001/EN/T-II-I/054/2007 dated 08.12.2015 for expansion of Grinding Unit from 1.5 MTPA to 2.0 MTPA. SEIAA approved the transfer of Environmental Clearance from M/s. Sonar Bangla Cement (A division of Century Textiles & Industries Ltd.) to M/s. Ultratech Cement Ltd. vide letter no. 465/EN/T-II-1/054/2007 dated 28.02.2020.

Salient features of the proposed project as submitted by the project proponent are summarized below:

Proposed Project	Expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) at Sonar Bangla Cement Works, Village: Dhalo, P.O.: Gankar, Block: Raghunathganj-I, District: Murshidabad (West Bengal)			
Project Proponent	M/s. UltraTech Cement Limited			
Project Location	Village: Dhalo, P.O.: Gankar, Block: Raghunathganj-I, District: Murshidabad (West Bengal) Latitude: 24° 22' 59.67"N to 24° 23' 36.60"N Longitude: 88° 04' 44.03"E to 88° 05' 27.03"E			
Plant & Machinery (Existing & Proposed)	S.No	Description	Existing	Proposed
	.			


Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

	Plant Machineries						
	1.	Cement Mill	2 x 150 TPH	Installation of Roller Press with each Cement Mill to achieve 2 x 330 TPH			
	2.	Packing Machines	4 x 240 TPH	2 x 240 TPH			
	3.	Truck loading machines	08 Nos	06 Nos.			
	4.	Wagon Loading machines	16 Nos	Nil			
	5.	Weigh Bridge	2	1			
	6.	Additional railway line at wagon tippler/ packing plant	1	1			
	Air Pollution Control Equipment						
	7.	Bag House	2 Nos.	Nil			
	8.	Bag Filters	42 Nos.	3 Nos.			
Main Plant	Particular	Unit	Existing Capacity	Additional Capacity	Total capacity after expansion		
	Cement (OPC, PPC, PSC & Composite Cement)	MTPA	2.0	3.0	5.0		
Raw Materials and Quantity	Clinker Grinding Unit						
	S.No	Material	Existing Quantity	Additional Quantity	Total Quantity		
	1.	Clinker	1.24	1.86	3.1		
	2.	Gypsum	0.06	0.09	0.15		
	3.	Fly ash	0.7	1.05	1.75		
	4.	Slag	Nil	0.132	0.132		
Land Area	Plant Area breakup in Acres						
	Existing area		For Additional facilities for expansion		Total		
	158.56		Nil		158.56		
	No Additional Land will be required for the proposed expansion.						
Project Cost	Rs. 118 Crores						
Pollution Control Cost	Capital Cost: Rs. 3.0 Crores Recurring Cost: Rs. 0.3 Crores/annum						
Water Requirement & Source		Particular	Existing	Additional	Total	Source	

Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

	<table><tr><td>Water Requirement (KLD)</td><td>168</td><td>56</td><td>224</td><td>Groundwater</td></tr></table> <p>Permission for ground water withdrawal has already been obtained from District Level Ground Water Resources Developmental Authority, Murshidabad <i>vide</i> permit no. P1219137000000039201TSE and P1219137000000041001TSE dated 22nd Feb., 2010.</p>	Water Requirement (KLD)	168	56	224	Groundwater																						
Water Requirement (KLD)	168	56	224	Groundwater																								
Make up Water Consumption	The total water requirement of Grinding Unit is 224 KLD. Out of which, the existing water requirement is 168 KLD. Additional water requirement for proposed expansion will be 56 KLD; which is being / will be sourced from Ground Water.																											
Power Requirement & Source:	<table><tr><th>Particular</th><th>Existing</th><th>Additional</th><th>Total</th><th>Source</th></tr><tr><td>Power Requirement (MW)</td><td>12.57</td><td>5.03</td><td>17.6</td><td>WBSEDCL & Power Wheeling from Rawan; DG Set for emergency</td></tr></table>				Particular	Existing	Additional	Total	Source	Power Requirement (MW)	12.57	5.03	17.6	WBSEDCL & Power Wheeling from Rawan; DG Set for emergency														
Particular	Existing	Additional	Total	Source																								
Power Requirement (MW)	12.57	5.03	17.6	WBSEDCL & Power Wheeling from Rawan; DG Set for emergency																								
Manpower Requirement	<table><tr><th colspan="2">Particular</th><th>Existing</th><th>Additional</th><th>Total</th><th>Source</th></tr><tr><td rowspan="3">Manpower Requirement (No. of persons)</td><td>Regular</td><td>57</td><td>8</td><td>65</td><td rowspan="3">Local / Outside</td></tr><tr><td>Contractual</td><td>543</td><td>37</td><td>580</td></tr><tr><td>Total</td><td>600</td><td>45</td><td>645</td></tr></table>				Particular		Existing	Additional	Total	Source	Manpower Requirement (No. of persons)	Regular	57	8	65	Local / Outside	Contractual	543	37	580	Total	600	45	645				
Particular		Existing	Additional	Total	Source																							
Manpower Requirement (No. of persons)	Regular	57	8	65	Local / Outside																							
	Contractual	543	37	580																								
	Total	600	45	645																								
Water Pollution Control System (existing & proposed)	<table><tr><th>Water Pollution Control System</th><th>Existing</th><th>Proposed</th><th>Total</th></tr><tr><td>Sewage Treatment Plant</td><td>60 KLD</td><td>-</td><td>60 KLD</td></tr></table> <ul style="list-style-type: none">• Domestic Waste Water is being treated in STP.• Grinding unit is based on the dry process technology. Hence, zero liquid discharge is being/ will be maintained in Grinding Unit.				Water Pollution Control System	Existing	Proposed	Total	Sewage Treatment Plant	60 KLD	-	60 KLD																
Water Pollution Control System	Existing	Proposed	Total																									
Sewage Treatment Plant	60 KLD	-	60 KLD																									
Air Pollution Control System (existing & proposed)	<table><tr><th>S. No.</th><th>Locations</th><th>Existing No.</th><th>Proposed No.</th><th>Total</th><th>Pollution Control Equipment</th></tr><tr><td>1.</td><td>Cement Mill</td><td>2</td><td>-</td><td>2</td><td>Bag House</td></tr><tr><td>2.</td><td>Packing Plant</td><td>4</td><td>1</td><td>5</td><td>Bag Filter</td></tr><tr><td>3.</td><td>Transfer Points - 1</td><td>38</td><td>2</td><td>40</td><td>Bag Filter</td></tr></table>				S. No.	Locations	Existing No.	Proposed No.	Total	Pollution Control Equipment	1.	Cement Mill	2	-	2	Bag House	2.	Packing Plant	4	1	5	Bag Filter	3.	Transfer Points - 1	38	2	40	Bag Filter
S. No.	Locations	Existing No.	Proposed No.	Total	Pollution Control Equipment																							
1.	Cement Mill	2	-	2	Bag House																							
2.	Packing Plant	4	1	5	Bag Filter																							
3.	Transfer Points - 1	38	2	40	Bag Filter																							



Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

Solid Waste Generation	<ul style="list-style-type: none"> • Dust collected from various APCEs totally recycled into the process. • Bottles, paper, cans, textile, etc. will be sold to registered recycler. • Kitchen and canteen/ Green waste after composting is/will be utilized as manure for greenbelt development / plantation
Area for Greenbelt (Existing & Proposed)	Out of the total plant area i.e. 64.17 ha; 21.18 ha (33% of total existing plant area) has already been developed under greenbelt/plantation.
Rainwater Harvesting Features (Existing & Proposed)	<p>Existing: Rainwater recharge structures with capacity of 16000 Cum/Annum is being done in the plant to maintain and further enhance the groundwater level in the area.</p> <p>Proposed: A typical size of about 1 rectangular underground storage tanks will be constructed having dimensions of about 6m*6m*5m (Length*Width*Depth) to store and utilize the water for green belt development and domestic purposes other than drinking.</p>
Corporate Social Responsibility along with fund allocation (existing & proposed)	<p>Existing: Till now Company has spent approx. Rs. 1.46 Crores on various activities in nearby villages under CSR since the year 2017.</p> <p>Proposed: Rs.0.60 Crores</p>

State Level Environment Impact Assessment Authority (SEIAA), West Bengal examined the proposal and also perused recommendations of the State Level Expert Appraisal Committee (SEAC). After due consideration of the project proposal, and after considering the recommendations of the State Level Expert Appraisal Committee (SEAC), the State Level Environment Impact Assessment Authority accords Environmental Clearance to the project as per provisions of the EIA notification no. S.O. 1533 (E) dt. 14th September, 2006 of Ministry of Environment & Forests, GOI and the subsequent amendments, in supersession of ECs issued vide no. EN/128-I/T-II-1/054/2007 dated 19.06.2008 and 3001/EN/T-II-I/054/2007 dated 08.12.2015 on the basis of above mentioned features along with other details submitted to SEIAA subject to strict compliance of the terms and conditions mentioned below.

I. Statutory compliance

- The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
- The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
- The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (incase of the presence of schedule-I species in the study area)
- The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board! Committee.
- The project proponent shall obtain the necessary permission from the Competent Authority, in case of drawl of ground water in case of drawl of surface water required for the project.



Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

- vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R.No.612(E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognised under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognised under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common / criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM₂₅ in reference to PM emission, and SO₂ and NO_x in reference to SO₂ and NO_x emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. (case to case basis small plants: Manual; Large plants: Continuous)
- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality / fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust' generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanised bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
- x. Provide wind shelter fence and chemical spraying on the raw material stock piles; and
- xi. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts / railways as a mode of transport.
- xiii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants.

III. Water quality monitoring and preservation

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R.No.612(E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas



Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.

- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge'.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV. Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry/SEIAA/SPCB as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas.
- iii. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

VI. Waste management

- i. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- ii. Kitchen waste shall be composted or converted to biogas for further use. (to be decided on case to case basis depending on type and size of plant)

VII. Green Belt

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.
- ii. The proponent should plant and maintain at least 103580 nos. trees. List of tree species for plantation as per plantation plan approved by Divisional Forest Officer, Nadia-Murshidabad Division is given as Annexure-2. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping.
- iii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.


Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

IX. Environment Management Plan (EMP)


- i. The project proponent should submit the proposed EMP on a six monthly basis. The Office Memorandum issued by the MoEF & CC vide F. No. 22-65/2017-IA.III dated 30.09.2020 should be strictly followed.
- ii. Need based activities for local people is part of the EMP. Details of such activities submitted by the Project Proponent is given in Annexure-3.
- iii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements / deviation / violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC/SEIAA/SPCB as a part of six-monthly report.
- iv. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- v. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry / Regional Office/SEIAA/SPCB along with the Six-Monthly Compliance Report.
- vi. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vii. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.

X. Additional Conditions imposed by SEAC

- i. Project proponent should maintain the existing plantation and also prepare an inventory of number of trees and species within the plant.
- ii. Proper care should be taken during transportation of raw material as well as finished project.
- iii. Details of the model for air-pollution should be clearly explained.
- iv. Wastewater analysis for the wash water should be furnished.

XI. Miscellaneous

- i. The environmental clearance accorded shall be valid for a period of 7 years for the proposed project.
- ii. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least



Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.

- iii. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- iv. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- v. The project proponent shall monitor the criteria pollutants level namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- vi. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal/SEIAA/SPCB.
- vii. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- viii. The project proponent shall inform the Regional Office as well as the Ministry/SEIAA/SPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
 - a. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
 - b. The project proponent shall abide by all the commitments and recommendations made in the EIA / EMP report, commitment made during Public Hearing and also that during their presentation to the State Expert Appraisal Committee.
- ix. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC) /SEIAA/SPCB.
- x. Concealing factual data or submission of false / fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xi. The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xii. The SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xiii. The Regional Office of this Ministry /SEIAA shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- xiv. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India /



Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

High Courts and any other Court of Law relating to the subject matter.

xv. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

xvi. The contact details of the proponent and the name of the consultant are given below –

Name of the Contact person with Designation	Dr. K. V. Reddy, Joint President & Corporate Head-Environment
Address	Ahura Centre, 1st Floor, 'A' Wing , Mahakali Caves Road, Andheri (E), Mumbai- 400 093.
Email	kvijender.reddy@adityabirla.com
Telephone Number Fax No.	022 6691 7400 +91 22 2824 4970
Name of the Environmental Consultant	J.M. EnviroNet Pvt. Ltd.



(K. Balamurugan)

Chief Environment Officer &
Member Secretary, SEIAA



Member Secretary, State Level Environmental Impact Assessment Authority

PART I
Particulars of Land

District	Police Station	Mouza with J.L. No.	Plot No. LR	Total area of plot (In acres)	Area of the plot acquired (In acres)	Part/Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	97	0.04	0.04	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	98	0.23	0.23	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	99	0.07	0.07	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	100	0.06	0.06	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	101	0.37	0.37	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	102	0.07	0.07	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	103	0.05	0.05	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	104	0.08	0.08	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	105	0.39	0.39	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	106	0.02	0.02	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	107	0.14	0.14	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	111	0.02	0.02	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	112	0.08	0.08	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	114	0.04	0.04	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	115	0.23	0.23	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	116	0.23	0.23	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	117	0.06	0.06	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	118	0.05	0.05	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	119	0.35	0.33	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	120	0.49	0.43	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	121	0.38	0.38	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	122	0.23	0.05	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	123	0.85	0.01	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	125	0.05	0.02	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	126	0.07	0.06	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	127	0.04	0.04	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	128	0.16	0.14	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	129	0.19	0.03	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	194	0.54	0.25	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	196	0.19	0.03	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	214	0.40	0.02	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	215	0.13	0.08	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	216	0.10	0.10	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	217	0.09	0.04	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	218	0.14	0.12	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	220	0.15	0.15	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	221	0.06	0.06	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	222	0.03	0.03	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	223	0.02	0.02	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	224	0.08	0.08	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	225	0.06	0.06	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	226	0.07	0.07	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	227	0.03	0.03	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	228	0.02	0.02	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	230	0.03	0.01	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	231	0.07	0.03	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	250	0.05	0.01	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	251	0.18	0.01	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	252	0.16	0.05	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	253	0.64	0.61	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	254	0.11	0.11	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	255	0.04	0.04	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	256	0.01	0.01	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	257	0.40	0.40	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	258	0.05	0.03	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	259	0.07	0.01	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	260	0.15	0.08	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	261	0.05	0.05	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	262	0.07	0.06	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	286	0.86	0.14	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	468/2514	0.82	0.82	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	469	0.29	0.29	Full

By
Dist. Sub Registrar
Murshidabad

District	Police Station	Mouza with J.L. No.	Plot No. LR	Total area of plot (In acres)	Area of the plot acquired (In acres)	Part/Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	470	0.11	0.11	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	471	2.08	1.80	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	472	0.20	0.07	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	474	0.40	0.12	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	502	0.46	0.46	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	503	1.15	0.35	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	504	0.31	0.12	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	506	0.22	0.09	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	507	1.20	1.20	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	508	1.20	1.20	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	509	1.05	1.05	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	513	0.77	0.77	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	514	0.50	0.50	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	515	0.94	0.94	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	517	0.36	0.36	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	107/1551	0.03	0.03	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	220/1553	0.08	0.07	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	472/1572	0.17	0.02	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	510	0.60	0.60	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	511	0.21	0.21	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	512	0.21	0.21	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	518	0.24	0.24	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	519	0.17	0.17	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	520	0.46	0.46	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	523	0.26	0.26	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	524	0.27	0.27	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	525	0.03	0.03	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	527	0.70	0.70	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	528	0.41	0.41	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	529	0.19	0.19	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	530	1.13	1.13	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	531	0.21	0.21	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	526	0.05	0.05	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	108	0.38	0.38	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	109	0.10	0.10	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	110	0.09	0.09	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	113	0.03	0.03	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	219	0.25	0.17	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	229	0.05	0.03	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	510/2525	2.78	2.78	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	107/2505	0.04	0.04	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	122/2506	0.58	0.56	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	256/2509	0.02	0.02	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	261/2510	0.13	0.13	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	468	0.43	0.28	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	502/2522	1.16	0.06	Part
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	510/2524	0.50	0.50	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	511/2526	0.49	0.49	Full
Murshidabad	Raghunathganj	Dakhinpara & J.L. No. - 136	512/2527	0.50	0.50	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	342	1.50	0.02	Part
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	345	0.48	0.08	Part
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	347	1.99	1.99	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	348	1.32	1.32	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	349	0.41	0.41	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	350	1.16	1.16	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	351	0.15	0.15	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	352	0.49	0.49	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	353	0.05	0.05	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	354	0.13	0.13	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	355	0.54	0.54	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	356	0.35	0.35	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	357	0.13	0.13	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	358	0.13	0.13	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	359	0.63	0.63	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	360	0.29	0.29	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	361	0.45	0.45	Full

84
Dist. Sub. Registrar
Murshidabad

District	Police Station	Mouza with J.L. No.	Plot No. LR	Total area of plot (In acres)	Area of the plot acquired (In acres)	Part/Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	362	0.35	0.35	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	363	0.45	0.45	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	364	0.49	0.49	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	365	0.06	0.06	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	366	0.32	0.32	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	367	0.55	0.55	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	368	0.41	0.41	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	369	2.02	2.02	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	370	0.25	0.25	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	371	0.62	0.62	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	372	0.90	0.90	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	373	0.99	0.99	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	374	0.22	0.22	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	375	0.61	0.61	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	376	0.33	0.33	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	377	1.88	1.88	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	378	1.12	1.12	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	379	0.88	0.88	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	380	0.52	0.52	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	381	0.62	0.62	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	382	0.62	0.62	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	383	0.82	0.82	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	384	0.07	0.07	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	385	0.56	0.56	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	386	0.30	0.30	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	387	0.89	0.89	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	388	0.52	0.52	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	389	0.23	0.23	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	390	2.06	2.06	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	391	0.90	0.90	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	392	0.12	0.12	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	393	0.80	0.80	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	394	0.68	0.68	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	395	1.12	1.12	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	396	0.33	0.33	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	397	1.00	1.00	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	398	1.54	1.54	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	399	0.27	0.27	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	400	0.90	0.90	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	401	12.38	12.38	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	402	1.88	1.88	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	403	0.35	0.35	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	404	0.52	0.52	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	405	0.65	0.65	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	406	0.34	0.34	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	407	0.29	0.29	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	408	0.37	0.37	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	409	0.38	0.38	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	410	0.82	0.82	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	411	0.82	0.82	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	412	0.31	0.31	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	413	0.70	0.70	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	414	0.71	0.71	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	415	0.78	0.78	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	416	0.87	0.87	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	417	0.16	0.16	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	418	0.35	0.35	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	420	2.55	2.55	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	421	1.19	1.19	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	422	0.61	0.61	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	423	1.03	1.03	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	424	0.30	0.30	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	425	0.49	0.49	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	426	1.11	1.11	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	427	0.52	0.52	Full
Murshidabad	Raghunathganj	Dhale & J.L. No. - 137	428	0.19	0.19	Full

Dist. Sub Registrar
Murshidabad

District	Police Station	Mouza with JI. No.	Plot No. LR	Total area of plot (In acres)	Area of the plot acquired (In acres)	Part/Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	429	0.21	0.21	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	430	0.22	0.22	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	431	0.96	0.96	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	432	0.77	0.77	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	433	0.71	0.71	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	434	0.60	0.60	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	435	0.54	0.54	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	436	1.61	1.61	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	437	0.85	0.85	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	438	0.78	0.78	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	439	0.09	0.09	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	440	0.14	0.14	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	441	1.90	1.90	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	442	0.53	0.53	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	443	0.10	0.10	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	444	0.39	0.39	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	445	0.12	0.12	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	446	0.09	0.09	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	447	0.06	0.06	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	448	0.58	0.58	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	449	0.60	0.60	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	450	0.75	0.75	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	451	0.48	0.48	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	452	0.25	0.25	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	453	0.11	0.11	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	454	0.96	0.96	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	455	0.32	0.32	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	456	0.32	0.32	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	457	0.13	0.13	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	464	0.88	0.02	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	465	1.40	1.40	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	466	0.32	0.32	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	467	0.24	0.24	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	468	0.55	0.48	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	469	0.20	0.18	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	480	0.71	0.05	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	482	0.27	0.07	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	483	1.02	0.96	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	484	0.59	0.59	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	485	1.48	1.48	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	486	0.60	0.60	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	487	0.66	0.66	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	488	0.51	0.51	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	489	0.43	0.43	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	490	0.35	0.35	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	491	0.10	0.10	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	492	0.12	0.12	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	493	0.85	0.85	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	494	0.29	0.29	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	495	0.50	0.50	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	496	0.21	0.21	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	496/729	0.21	0.21	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	497	0.47	0.47	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	498	0.66	0.66	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	499	0.54	0.39	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	500	0.94	0.40	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	501	1.83	0.31	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	505	0.75	0.32	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	506	0.69	0.66	Part
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	507	0.15	0.15	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	508	0.37	0.37	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	509	0.26	0.26	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	510	0.34	0.34	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	511	0.56	0.56	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	512	0.65	0.65	Full
Murshidabad	Raghunathganj	Dhale & JI. No. - 137	513	0.76	0.76	Full

84
Dist. Sub Registrar
Murshidabad

District	Police Station	Mouza with J.L. No.	Plot No. LR	Total area of plot (In acres)	Area of the plot acquired (In acres)	Part/Full
Murshidabad	Raghunathganj	Pachanpara & J.L. No- 146	1041/1308	0.38	0.0150	Part
Murshidabad	Raghunathganj	Pachanpara & J.L. No- 146	1015/1332	0.46	0.02	Part
Murshidabad	Raghunathganj	Pachanpara & J.L. No- 146	1013/1333	0.26	0.22	Part
Murshidabad	Raghunathganj	Pachanpara & J.L. No- 146	1015/1334	0.11	0.04	Part
Murshidabad	Raghunathganj	Pachanpara & J.L. No- 146	1175	0.90	0.04	Part
			ACQUIRED LAND IS		158.56	

By


Dist. Sub Registrar /
Murshidabad

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

Annexure-2


LIST OF TREES AS PER PLANTATION PLAN APPROVED BY DIVISIONAL FOREST OFFICER, NADIA-MURSHIDABAD DIVISION

SL. NO.	BOTANICAL NAME	COMMON NAME OF TREES	NO. OF TREES
1.	<i>Roystonea regia</i>	Royal Plam	489
2.	<i>Polyalthia longifolia</i>	Debdaru	2866
3.	<i>Tamarix dioica</i>	Jhau	2562
4.	<i>Carissa carandas</i>	Koromcha	9238
5.	<i>Tectona grandis</i>	Segun	2547
6.	<i>Delonix regia</i>	Krishnachura	4518
7.	<i>Swietenia mehogini</i>	Mehagini	5712
8.	<i>Dalbergia sissoo</i>	Seesham	6229
9.	<i>Psidium guajava</i>	Gauva	514
10.	<i>Terminalia arjuna</i>	Arjun	2083
11.	<i>Neolamarckia cadamba</i>	Kadam	982
12.	<i>Alstoniascholaris</i>	Chatim	2250
13.	<i>Albizialebeck</i>	Siris	7254
14.	<i>Lagerstroemia speciosa</i>	Jarul	1211
15.	<i>Mangifera indica</i>	Mango	1266
16.	<i>Azadirachta indica</i>	Neem	5287
17.	<i>Acacia auriculiformis</i>	Sonajhuri	1057
18.	<i>Acacia auriculiformis</i>	Akashmoni	2720
19.	<i>Elsholtzia blanda</i>	Lomba	2010
20.	<i>Vachellia nilotica</i>	Subabul	29875
21.	<i>Bombax ceiba</i>	Shimul	1313
22.	<i>Terminalia catappa</i>	Kat Badam	897
23.	<i>Sapindus mukorossi</i>	Ritha	287
24.	<i>Syzygium cumini</i>	Jamun	1657
25.	<i>Citrus limon</i>	Lemon	565
26.	<i>Artocarpus heterophyllus</i>	Jack Fruits	570
27.	<i>Punica granatum</i>	Pomegranate	375
28.	<i>Cocos nucifera</i>	Coconut	285


Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

SL. NO.	BOTANICAL NAME	COMMON NAME OF TREES	NO. OF TREES
29.	<i>Annona reticulata</i>	Custard Apple	2531
30.	<i>Royal poinciana</i>	Gulmohar	1030
31.	<i>Bauhinia variegata</i>	Kanchan	1078
32.	<i>Crotalaria alata</i>	Bandar Lathi	545
33.	<i>Mimusopselengi</i>	Bakul	593
34.	<i>Croton variegatum</i>	Pata Bahar	523
35.	<i>Murrayakoenigii</i>	Curries Leaf	147
36.	<i>Hibiscus rosa-sinensis</i>	Hibiscus Roza	350
37.	<i>Phyllanthus emblica</i>	Amla	150
38.	<i>Litchi chinensis</i>	Litchi	14
Total			103580



[Handwritten signature]

Member Secretary, State Level Environmental Impact Assessment Authority

Proposed conditions for environmental clearance for the proposed expansion of Cement Production Capacity of Existing Stand-alone Clinker Grinding Unit (2.0 to 5.0 MTPA) by M/s. UltraTech Cement Limited (Unit: Sonar Bangla Cement Works) at Village: Dhalo, P.O: Gankar, Block: Raghunathganj-I, District: Murshidabad, West Bengal (details of plot nos. given in Annexure – 1).

Annexure – 3

NEED BASED ACTIVITIES FOR LOCAL PEOPLE

S. No.	Concerns raised during the Public Hearing	Physical activity to be done	Unit of Measurement			Approx. Cost (in Lacs)
			01 st Year	02 nd Year	03 rd Year	
1.	Education	Provide assistance for Implementation of digital classes	0	01 school (Village Mirzapur)	01 (Village Dhalo)	4
		Providing computers to students	01 school (Village Mirzapur)	01 school (Kabilpur)	0	2
		Providing projectors & internet facility and furniture in schools	01 school (Village Mirzapur)	02 schools (Village Kabilpur)	01 school (Village Mirzapur)	4
		Sanitary arrangements to the institution	01 (Village Mathurapur)	0	0	5
2.	Sanitary & Drainage System	Provide assistance in maintenance / improvement of sanitation and drainage system	0	01 (Village Mirzapur)	01 (Village Gankar)	5
3.	Infrastructure Development	Construction of 2 rooms women working at the Aanganbadi	0	0	02 rooms (Village Mirzapur)	7
		Renovation of primary school building	01 (Village Paikar)	01 (Village Dhalo)	01 (Village Aradanga)	6
		Construction of RCC road (inside villages)	(Village Gankar)	(Village Dhalo)	(Village Santoshpur)	20
4.	Drinking Water	Providing drinking water facilities to the nearby village by <i>Installation submersible pump along with overhead tank and providing taps.</i>	03 (Village Pachan Para, Khojer Para & Nawda)	02 (Village Dakshin Para, & Village Mirzapur)	02 (Village Gankar & Village Bag Para)	7
<i>The total cost allocated for the Socio-developmental activities</i>						60

**The above action plan will be implemented during project implementation phase. Zero date will start from the date of construction start for the proposed project.*

***The activities given in the above table are excluding the Pollution Control and mitigation measures which are included in EMP Cost [i.e. Capital Cost: Rs. 3.0 Crores & Annual Recurring Cost: Rs. 0.3 Crores/annum.*



Member Secretary, State Level Environmental Impact Assessment Authority